


**D4542-1 RETAINER, LH INNER**  
(LOWER)

**PRELIMINARY ISSUE**  
Rev. PAZ 01.01.12

- NOTES:**
- 1) MATERIAL: 6061-T6 ALUMINUM SHEET, 0.032 THICK  
PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209  
REF DART SPEC. M6061T6S.032
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N PER DART QSI 044 6.1
  - 7) WEIGHT: 0.17 lbs
  - 8) PROFILE PER DRAWING FILE "D4542-1-REVA.DXF"

A	NEW ISSUE	CP	12.01.09
REV.	DESCRIPTION	BY	DATE
DESIGN	qp	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	qp		
CHECKED	ASS	DRAWING NO.	REV. A
MFG. APPR.		D4542	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		RETAINER, INNER	NTS
DATE	12.01.09	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



**D4542-2 RETAINER, RH INNER**  
(LOWER)


**PRELIMINARY ISSUE**

Rev PAZ 9/12.01.12

**NOTES:**

- 1) MATERIAL: 6061-T6 ALUMINUM SHEET, 0.032 THICK  
PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209  
REF DART SPEC. M6061T6S.032
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N PER DART QSI 044 6.1
- 7) WEIGHT: 0.17 lbs
- 8) PROFILE PER DRAWING FILE "D4542-2-REVA.DXF"

DESIGN	92	<b>DART AEROSPACE LTD</b>	
DRAWN	92	HAWKESBURY, ONTARIO, CANADA	
CHECKED	ASS	DRAWING NO.	REV. PA1
MFG. APPR.		D4542	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		RETAINER, INNER	NTS
DATE	12.01.09	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




**D4542-3 RETAINER, INNER**  
(SIDE)

**PRELIMINARY ISSUE**  
Rev PAZ 12.01.12

- NOTES:**
- 1) MATERIAL: 6061-T6 ALUMINUM SHEET, 0.032 THICK  
PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209  
REF DART SPEC. M6061T6S.032
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N PER DART QSI 044 6.1
  - 7) WEIGHT: 0.11 lbs
  - 8) PROFILE PER DRAWING FILE "D4542-3-REVA.DXF"

DESIGN	qp	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	qp		
CHECKED	ASS	DRAWING NO.	REV. A
MFG. APPR.		D4542	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		RETAINER, INNER	NTS
DATE	12.01.09	COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



**D4542-5 RETAINER, INNER**  
(TOP CORNER)


**PRELIMINARY ISSUE**

Rev PAZ 12.01.12

**NOTES:**

- 1) MATERIAL: 6061-T6 ALUMINUM SHEET, 0.032 THICK  
PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209  
REF DART SPEC. M6061T6S.032
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N PER DART QSI 044 6.1
- 7) WEIGHT: 0.04 lbs
- 8) PROFILE PER DRAWING FILE "D4542-5-REVA.DXF"

DESIGN	92	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	92		
CHECKED	ASS	DRAWING NO.	REV. A
MFG. APPR.		D4542	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		RETAINER, INNER	NTS
DATE	12.01.09	COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



**D4542-7 RETAINER, INNER**  
(TOP)

**PRELIMINARY ISSUE**

Rev. PAZ 12.01.12

**NOTES:**

- 1) MATERIAL: 6061-T6 ALUMINUM SHEET, 0.032 THICK  
PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209  
REF DART SPEC. M6061T6S.032
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N PER DART QSI 044 6.1
- 7) WEIGHT: 0.07 lbs
- 8) PROFILE PER DRAWING FILE "D4542-7-REVA.DXF"

DESIGN	qp	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	qp		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4542	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		RETAINER, INNER	NTS
DATE	12.01.09	COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	